

Technical Data Chamber Furnaces up to 1300°C

Chamber Furnaces KC 16/13

Max. temperature:	1300°C
Inside dimensions (mm):	W 250 x D 250 x H 250
Volume:	16 l
Outside dimensions (mm):	W 650 x D 800 x H 1400
Power:	7,0 kW
Voltage:	400 3/N V
Weight:	160 kg

Chamber Furnaces KC 32/13

Max. temperature:	1300°C
Inside dimensions (mm):	W 320 x D 320 x H 320
Volume:	33 l
Outside dimensions (mm):	W 700 x D 850 x H 1450
Power:	8,0 kW
Voltage:	400 3/N V
Weight:	190 kg

Chamber Furnaces KC 64/13

Max. temperature:	1300°C
Inside dimensions (mm):	W 400 x D 400 x H 400
Volume:	64 l
Outside dimensions (mm):	W 780 x D 950 x H 1520
Power:	11,0 kW
Voltage:	400 3/N V
Weight:	250 kg

Chamber Furnaces KC 128/13

Max. temperature:	1300°C
Inside dimensions (mm):	W 500 x D 500 x H 500
Volume:	125 l
Outside dimensions (mm):	W 880 x D 1050 x H 1620
Power:	15,0 kW
Voltage:	400 3/N V
Weight:	300 kg