

## Technical Data Laboratory Furnaces with Weighing System up to 1200°C

### Laboratory Furnaces KLS 05/12/WS

**Max. temperature:** 1200°C  
**Inside dimensions (mm):** W 200 x D 250 x H 140  
**Volume:** 7 l  
**Outside dimensions (mm):** W 550 x D 580 x H 650  
**Power:** 2,0 kW  
**Voltage:** 230 1/N V

### Laboratory Furnaces KLS 10/12/WS

**Max. temperature:** 1200°C  
**Inside dimensions (mm):** W 200 x D 250 x H 200  
**Volume:** 10 l  
**Outside dimensions (mm):** W 560 x D 640 x H 720  
**Power:** 3,6 kW  
**Voltage:** 230 1/N V

### Laboratory Furnaces KLS 15/12/WS

**Max. temperature:** 1200°C  
**Inside dimensions (mm):** W 220 x D 300 x H 230  
**Volume:** 15 l  
**Outside dimensions (mm):** W 560 x D 640 x H 720  
**Power:** 3,6 kW  
**Voltage:** 230 1/N V

### Laboratory Furnaces KLS 30/12/WS

**Max. temperature:** 1200°C  
**Inside dimensions (mm):** W 280 x D 380 x H 280  
**Volume:** 30 l  
**Outside dimensions (mm):** W 590 x D 690 x H 790  
**Power:** 6,0 kW  
**Voltage:** 400 3/N V

### Laboratory Furnaces KLS 45/12/WS

**Max. temperature:** 1200°C  
**Inside dimensions (mm):** W 300 x D 500 x H 300  
**Volume:** 45 l  
**Outside dimensions (mm):** W 660 x D 810 x H 820  
**Power:** 7,5 kW  
**Voltage:** 400 3/N V

**Laboratory Furnaces KLS 60/12/WS**

<b>Max. temperature:</b>	<b>1200°C</b>
<b>Inside dimensions (mm):</b>	<b>W 400 x D 500 x H 300</b>
<b>Volume:</b>	<b>60 l</b>
<b>Outside dimensions (mm):</b>	<b>W 760 x D 840 x H 800</b>
<b>Power:</b>	<b>9,6 kW</b>
<b>Voltage:</b>	<b>400 3/N V</b>