

Technical Data Air Circulation Bogie Hearth Furnaces

Air Circulation Bogie Hearth Furnaces WM 1000/08/A

Max. temperature: 850°C
Inside dimensions (mm): W 1000 x D 1000 x H 1000
Volume: 1000 l
Outside dimensions (mm): W 2200 x D 1800 x H 3200
Power: 50,0 kW
Voltage: 400 3/N V
Weight: 1420 kg

Air Circulation Bogie Hearth Furnaces WM 1500/08/A

Max. temperature: 850°C
Inside dimensions (mm): W 1000 x D 1500 x H 1000
Volume: 1500 l
Outside dimensions (mm): W 2200 x D 2300 x H 3200
Power: 66,0 kW
Voltage: 400 3/N V
Weight: 1570 kg

Air Circulation Bogie Hearth Furnaces WM 2000/08/A

Max. temperature: 850°C
Inside dimensions (mm): W 1000 x D 2000 x H 1000
Volume: 2000 l
Outside dimensions (mm): W 2200 x D 2800 x H 3200
Power: 86,0 kW
Voltage: 400 3/N V
Weight: 1950 kg

Air Circulation Bogie Hearth Furnaces WM 3600/08/A

Max. temperature: 850°C
Inside dimensions (mm): W 1300 x D 2500 x H 1100
Volume: 3580 l
Outside dimensions (mm): W 2500 x D 3100 x H 3500
Power: 101,0 kW
Voltage: 400 3/N V
Weight: 2400 kg

Air Circulation Bogie Hearth Furnaces WM 5000/08/A

Max. temperature: 850°C
Inside dimensions (mm): W 1300 x D 3100 x H 1250
Volume: 5040 l
Outside dimensions (mm): W 2500 x D 3800 x H 3700
Power: 156,0 kW
Voltage: 400 3/N V
Weight: 4600 kg

Air Circulation Bogie Hearth Furnaces WM 7200/08/A

Max. temperature:	850°C
Inside dimensions (mm):	W 1500 x D 3100 x H 1500
Volume:	6980 l
Outside dimensions (mm):	W 2800 x D 3800 x H 3900
Power:	168,0 kW
Voltage:	400 3/N V
Weight:	5300 kg